

Department of Laboratory Medicine, Pathology and Medical Genetics

Patient Collection Instructions for Adult TB (Mycobacteria) Urine

Before Collection	 Obtain the appropriate collection container for the test your physician has requested from the Laboratory. Wash hands thoroughly with soap and water, rinse and dry. Open the container; DO NOT touch the inside of the container or the lid. Urine samples for TB collection must be collected on 3 consecutive
	 Wash hands thoroughly with soap and water, rinse and dry. Open the container; DO NOT touch the inside of the container or the lid.
	Open the container; DO NOT touch the inside of the container or the lid.
Collecting the sample	
	mornings.
	 Upon rising each morning, collect the first morning urine sample into one of the containers provided.
	Collect the first 40 to 90 ml of urine (approximately a quarter to half full)
	into the container provided, Do not overfill container.
	Void remainder of urine into the toilet.
	 Place the lid tightly onto the container, without touching the inside of the lid or the container.
	Clean collection container off if any urine has splashed on the outside of
	the container.
	Wash hands after collecting the urine sample.
Labeling the sample	The following information is required on the containers:
	 Last name, First Name, Date of Birth.
	Personal Health Number
	Collection Date
	Collection Time
Delivering the sample	 If sample is collected in the Laboratory, please give to Laboratory personnel unless otherwise instructed.
	If sample is not collected in the Laboratory:
	• When you have completed the collection and labeling, place the sample in the plastic bag provided and seal.
	Refrigerate samples after collection.
	 Place the completed requisition in the outer pocket of the plastic bag. Do not place requisition inside the sealed section of the bag containing the sample.
	 Take to Laboratory immediately after the third collection with the Physician's request (requisition)
	Check that the information on the requisition is correct and complete.
	Samples that are not labeled correctly and/or do not have a completed requisition will NOT be tested

If you have any questions please call the VIHA Laboratory Call Center @ 250-370-8355 or Toll Free at 1-866-370-8355

PRE SCN 15 110F Version: 1.1 Date: 28 September 2015 Page 1 of 1