

Disclaimer: All content in this reference guide is presented only as of the date printed or indicated, and may be superseded by subsequent documents or for other reasons. In addition, you are responsible to ensure you are receiving the most up to date information.



# **Cleaning Fans**

# **Cleaning/Disinfection**

Fans must not be used in Acute Patient Care settings. When fans are used in other settings, cleaning and/or decontamination of the fan will be performed by housekeeping.

## **Cleaning/disinfection:**

Remove the blade cover prior to cleaning and/or disinfection.

### Clean (First Wipe)

- Perform Hand Hygiene
- Don appropriate PPE (gloves and apron/gown)
- Use VIHA designated cleaning/disinfection product: Hydrogen Peroxide 0.5% (Diversey Percept RTU Wipe)
- Ensure expiry date has not been exceeded
- Apply to the blade cover, blade, the outside of the motor, the stand and cord allow at least 30 seconds contact time
- Discard wipe

### Disinfect (Second Wipe)

- Use VIHA designated cleaning/disinfection product: Hydrogen Peroxide 0.5% (Diversey Percept RTU Wipe)
- Ensure expiry date has not been exceeded
- Apply to the blade cover, blade, the outside of the motor, the stand and cord allow to remain wet for five minutes
- Wipe surface dry
- Discard wipe
- Discard PPE (gloves and apron/gown) in an appropriate receptacle
- Perform Hand Hygiene

Reassemble the unit and place in a clear plastic bag. Attach a clean tag which is signed and dated and then remove the fan to an appropriate storage area.

**PLEASE NOTE:** The fan must be sent to Facilities Maintenance and Operations annually for inspection and maintenance.

For more information, please contact the Infection Prevention and Control Program