

Office of the Chief Medical Health Officer

September 19th, 2018

2018-19 Seasonal Influenza Immunization Campaign begins in October

Please see the Island Health web site at: https://www.islandhealth.ca/flu-providers for information about the 2018-19 Seasonal Influenza Immunization Campaign and vaccine order forms.

Immunization Campaign Dates:

Seasonal influenza vaccine will be delivered to BC in early October. Vaccine will be distributed to physician offices, pharmacists, and other community vaccine providers as it arrives on Vancouver Island. Please place your order for vaccine as soon as possible through your local health unit and plan to begin vaccinating after **October 8** in order to allow time for vaccine to be distributed.

Please place initial orders for the vaccine you intend to use for the *first 2 weeks only* and then place additional orders after that time. If you have organized a large-scale vaccination clinic, also please indicate this on your order form. We ask this in order to ensure that all community vaccine providers have access to vaccine early in the season in an equitable fashion.

Public health immunization clinics are scheduled to begin the week of October 28, 2018. Please note that public health flu clinics will be focused on providing access to families with children (healthy and those with chronic conditions) and thus some flu clinic locations and times will differ from years past. Adults eligible for influenza vaccination are encouraged to seek immunization from their primary healthcare provider or pharmacist. Pharmacists are not currently certified to provide injectable vaccines to children under 5 years of age.

Vaccines and recommended usage:

This year's influenza vaccine contains strains that have *changed* from last year's vaccine. The vaccine will contain:

- A/Michigan/45/2015 (H1N1) pdm09-like virus
- A/Singapore/INFIMH-16-0019/2016 (H3N2)-like virus (new)
- B/Colorado/06/2017-like virus (new)
- B/Phuket/3073/2013-like virus (in quadrivalent vaccines only)

BC's influenza immunization program is a targeted program for those at high risk and those at risk of transmitting influenza to high risk individuals. For a full list of eligibility, please consult the Island Health flu webpage or the BCCDC immunization manual.

NORTH ISLAND 250.331.8591

Charmaine Enns MD MHSc FRCPC 355-11th Street Courtenay, BC V9N 1S4

CENTRAL ISLAND 250.739.6304

Paul Hasselback MD MSc FRCPC 3rd Floor, 6475 Metral Drive Nanaimo, BC V9T 2L9

COWICHAN AREA 250.331.8591

Shannon Waters MD MHSc FRCPC 601-222 Cowichan Way Duncan, BC V9L 6P4

SOUTH ISLAND

250.5 | 9.3406Richard Stanwick, CMHO

MD MSc FRCPC FAAP

Murray Fyfe MD MSc FRCPC

Dee Hoyano MD FRCPC CCFP

430-1900 Richmond Avenue Victoria, BC V8R 4R2

After Hours On Call

1.800.204.6166



Office of the Chief Medical Health Officer

NORTH ISLAND 250.331.8591

Charmaine Enns MD MHSc FRCPC 355-11th Street Courtenay, BC V9N 1S4

CENTRAL ISLAND 250.739.6304

Paul Hasselback MD MSc FRCPC 3rd Floor, 6475 Metral Drive Nanaimo, BC V9T 2L9

COWICHAN AREA 250.331.8591

Shannon Waters MD MHSc FRCPC 601-222 Cowichan Way Duncan, BC V9L 6P4

SOUTH ISLAND 250.519.3406

Richard Stanwick, CMHO

MD MSc FRCPC FAAP

Murray Fyfe MD MSc FRCPC

Dee Hoyano MD FRCPC CCFP

430-1900 Richmond Avenue Victoria, BC V8R 4R2

After Hours On Call 1.800.204.6166

Four publicly funded vaccine products will be distributed on Vancouver Island for use this season.

Vaccine Prod- uct	Recommended Patient Groups	Comments
Influvac® (trivalent vac- cine (TIV))	Adults 18 years + (Can be given to children 3 years old +)	Supplied in single dose vials, larger packaging
Fluviral® (TIV)	Adults 18 years + (Can be given to children 6 months +)	Multidose vials. Once opened, vials can be used for 28 days.
Fluzone® Quadrivalent (QIV)	Recommended for children age 6 months-17 years including those who have contraindications to Flumist®	Injectable vaccine
Flumist ® Quadrivalent (LAIV)	Recommended for children age 2-17 years with no contraindications to attenuated live vaccine	Inhaled live attenuated nasal vaccine

Other seasonal influenza vaccines including Fluzone® High Dose, Fluad® and Fluad® Pediatric have been approved by Health Canada for this season and may be available for private purchase through pharmacies.

Updates on vaccine usage

The National Advisory Committee on Immunization (NACI) has recently revised some recommendations for influenza vaccine usage. In brief:

- At an individual level (but not programmatic level) NACI has recommended high dose
 TIV over standard dose TIV for seniors. However, high dose TIV will not be publicly
 funded in BC this season. Fluzone® High Dose will be available for private purchase in
 some BC pharmacies. For more information BCCDC has prepared an FAQ document for
 healthcare providers at http://www.bccdc.ca/resource-gallery/Documents/Guidelines%20and%20Manuals/Immunization/Vaccine%20Info/FluzoneHD QandA.pdf.
- For children 2-17 years of age, a quadrivalent vaccine is the recommended product (e.g. Fluzone ® Quadrivalent OR Flumist Quadrivalent (LAIV)) due to the expanded B-strain protection. However, a trivalent vaccine (Influvac or Fluviral) may be given if other vaccine is not available.
- For children 2-17 years of age, the current evidence does not support a recommendation for the preferential use of LAIV (Flumist ®) over QIV (Fluzone Quadrivalent®) in children and adolescents 2-17 years of age. In adults, the inactivated vaccine is equivalent or more efficacious than LAIV, and thus TIV vaccines are recommended. Adults who wish to receive LAIV may do so, but must purchase the vaccine privately.
- It is safe for egg-allergic individuals to receive LAIV (Flumist®) as well as ALL inactivated influenza vaccines. No special administration procedures are needed



Office of the Chief Medical Health Officer

Antiviral Use:

Neuraminidase inhibitors (oseltamivir and zanamivir) remain the recommended drugs of choice for treatment or prophylaxis against influenza A or B for the 2018/19 season. Due to persistent resistance to amantadine among the majority of circulating influenza strains, it is not recommended for treatment or prophylaxis at this time. Recommendations on antiviral use may be updated during the influenza season as more clinical information becomes available. Updates will be sent to physicians via the Island Health website and directly by fax/email.

Outbreak Prevention & Management:

During confirmed influenza outbreaks in long term care facilities, physicians may be asked to prescribe antiviral prophylaxis for **residents** (vaccinated and unvaccinated), and **unvaccinated staff**. If you have patients in residential care, please ensure that orders are in place for influenza immunization, and PRN orders for antiviral prophylaxis, and creatinine clearance tests (within the last year) for residents with suspected or confirmed renal impairment. Please provide antiviral prophylaxis to unvaccinated **healthcare workers** requesting prophylaxis during an influenza outbreak at their workplace. Be aware that workers who do not take prophylaxis during an outbreak may not be permitted to work, as this can be part of outbreak control measures. Antiviral prophylaxis has been shown to successfully interrupt transmission during facility outbreaks.

Island Health Influenza Protection Policy:

The Island Health Influenza Protection policy is aimed at enhancing patient safety by improving influenza vaccination coverage among health care workers. All healthcare workers in Island Health and Island Health affiliated facilities are expected to comply with the policy this year. There are no anticipated significant policy changes this year. Healthcare workers may receive their influenza immunization from any provider including physicians or pharmacists. Healthcare workers are expected to self report their immunization status to their workplace. Island Health employees and physicians will be reporting immunization status through a centralized website. All vaccine providers should provide a written record of vaccination to healthcare workers at the time of vaccination for this season. More information about the policy can be found on the Island Health website.

NORTH ISLAND 250.331.8591

Charmaine Enns MD MHSc FRCPC 355-11th Street Courtenay, BC V9N 1S4

CENTRAL ISLAND 250.739.6304

Paul Hasselback MD MSc FRCPC 3rd Floor, 6475 Metral Drive Nanaimo, BC V9T 2L9

COWICHAN AREA 250.331.8591

Shannon Waters MD MHSc FRCPC 601-222 Cowichan Way Duncan, BC V9L 6P4

SOUTH ISLAND

250.519.3406

Richard Stanwick, CMHO MD MSc FRCPC FAAP

Murray Fyfe MD MSc FRCPC

Dee Hoyano MD FRCPC CCFP

430-1900 Richmond Avenue Victoria, BC V8R 4R2

After Hours On Call 1.800.204.6166



Office of the **Chief Medical Health Officer**

Resources for physicians & other community providers:

Information documents and links with more detailed information for physicians and other community providers will be available on the Island Health Influenza website (www.islandhealth.ca/flu-providers).

The links will include information on:

- 2018/19 Eligibility for Publicly Funded Vaccine
- Vaccine Product Information from BCCDC including dosage and composition
- Antiviral Guidelines for general use and in Long Term Care facilities
- Laboratory Diagnosis of Influenza

Important forms will also be posted on the Island Health Influenza website including:

- Influenza Vaccine order forms
- Influenza Vaccine reporting form (fridge count) to be submitted by community vaccine providers by mid-January, 2019

Courtenay, BC V9N 1S4

355-IIth Street

Charmaine Enns MD MHSc FRCPC

NORTH ISLAND 250.331.8591

CENTRAL ISLAND 250.739.6304

Paul Hasselback MD MSc FRCPC 3rd Floor, 6475 Metral Drive Nanaimo, BC V9T 2L9

COWICHAN AREA

250.331.8591

Shannon Waters MD MHSc FRCPC 601-222 Cowichan Way Duncan, BC V9L 6P4

Dee Hoyano, MD, FRCPC, CCFP Medical Health Officer

Yours sincerely,

SOUTH ISLAND

250.519.3406

Richard Stanwick, CMHO MD MSc FRCPC FAAP

Murray Fyfe MD MSc FRCPC

Dee Hoyano MD FRCPC CCFP

430-1900 Richmond Avenue Victoria, BC V8R 4R2

After Hours On Call

1.800.204.6166