



North Vancouver Island Beach Sampling Results

Sampling Season for 2021 Complete



No Water Quality Issues Identified



Potential Water Quality Issues



Swimming Not Recommended



No results available

Notes:

- Results indicated are the number of *E.coli* (fresh water) or Enterococci (salt water) per 100 mL of sample water
- L1 indicates there were less than 1 *E.coli* or Enterococci present in the sample
- **Updates will be provided once a week to reflect any new sample results received.**
- **Results are most predictive of overall water quality for 2 days after the sample date.**

Interpretation:

- **GREEN:** Beaches are generally considered microbiologically safe for swimming when single sample results, and/or the average (geometric mean) for the most recent five samples, are less than 200 (fresh water) or 35 (salt water)
- **YELLOW:** An individual result has exceeded 200 (fresh water) or 35 (salt water), so a higher risk of illness may be present and more sampling needs to be conducted to further inform the situation.
- **RED:** Results from a single sample has exceeded 400 (fresh water) or 70 (salt water), or the average (geometric mean) for the most recent five samples is greater than 200 (fresh water) or 35 (salt water) so there is a significant risk of illness and a beach advisory is generally necessary.
- **GREY:** Results not received for a particular beach during this current bathing season, please contact your local government/municipal office to inquire about testing ability.



Under certain circumstances, an Environmental Health Officer may deviate from the above recommendations for a particular beach. If you would like further information, please contact your local [Health Protection office](#).





Beach	Location	Sample Results
	COMOX LAKE CAMPGROUND	
	Cumberland – Fresh Water	
	Beach, East	No testing results for 2019 or 2020
	North Shore West	No testing results for 2019 or 2020
	COMOX LAKE NORTH SHORE BEACH	
	Cumberland – Fresh Water	
	North Shore, East	No testing results for 2019 or 2020
	North Shore, West	No testing results for 2019 or 2020



GOOSE SPIT BEACH







Comox – Salt Water	
Inside Center	Bacteriological Sample on 19/05/2021 – Enterococci : LT5
	Bacteriological Sample on 12/07/2021 – Enterococci : 18
	Bacteriological Sample on 11/08/2021 – Enterococci : LT5
	Bacteriological Sample on 23/08/2021 – Enterococci : 5
	Bacteriological Sample on 31/08/2021 – Enterococci : LT5
Outside Right	Bacteriological Sample on 19/05/2021 – Enterococci : LT5
	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
	Bacteriological Sample on 29/06/2021 – Enterococci : 25
	Bacteriological Sample on 12/07/2021 – Enterococci : 15
	Bacteriological Sample on 27/07/2021 – Enterococci : LT5
	Bacteriological Sample on 11/08/2021 – Enterococci : 5
	Bacteriological Sample on 23/08/2021 – Enterococci : LT5
	Bacteriological Sample on 31/08/2021 – Enterococci : LT5
Inside Left	Bacteriological Sample on 19/05/2021 – Enterococci : LT5
	Bacteriological Sample on 12/07/2021 – Enterococci : LT5
	Bacteriological Sample on 11/08/2021 – Enterococci : LT5
	Bacteriological Sample on 23/08/2021 – Enterococci : 165
	Bacteriological Sample on 31/08/2021 – Enterococci : LT5
Inside Right	Bacteriological Sample on 19/05/2021 – Enterococci : LT5
	Bacteriological Sample on 12/07/2021 – Enterococci : LT5
	Bacteriological Sample on 11/08/2021 – Enterococci : LT5
	Bacteriological Sample on 23/08/2021 – Enterococci : LT5
	Bacteriological Sample on 31/08/2021 – Enterococci : LT5
Outside Center	Bacteriological Sample on 19/05/2021 – Enterococci : LT5


		Bacteriological Sample on 02/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 29/06/2021 – Enterococci : 10	
		Bacteriological Sample on 12/07/2021 – Enterococci : 5	
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 11/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 23/08/2021 – Enterococci : LT5	
		Bacteriological Sample on 31/08/2021 – Enterococci : LT5	
	Outside Left	Bacteriological Sample on 19/05/2021 – Enterococci : LT5	
		Bacteriological Sample on 02/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 29/06/2021 – Enterococci : 14	
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 11/08/2021 – Enterococci : LT5	
	Bacteriological Sample on 23/08/2021 – Enterococci : LT5		
	Bacteriological Sample on 31/08/2021 – Enterococci : LT5		
GRAHAM LAKE BEACH 	Denman Island – Fresh Water		
	Graham Lake Swim Dock		
KIN BEACH 	Comox – Salt Water		
	Centre	No testing results for 2019 or 2020	
	South End	No testing results for 2019 or 2020	
	North Beach	No testing results for 2019 or 2020	

KITTY COLEMAN BATHING BEACH 	Courtenay – Salt Water	
	Kitty Coleman Center	No testing results for 2019 or 2020
	Kitty Coleman North	No testing results for 2019 or 2020
	Kitty Coleman South	No testing results for 2019 or 2020
KYE BAY BATHING BEACH 	Comox – Salt Water	
	Centre	No testing results for 2019 or 2020
	Left	No testing results for 2019 or 2020
	Right	No testing results for 2019 or 2020
LITTLE TRIBUNE BAY BATHING BEACH 	Hornby Island – Salt Water	
	Centre	No testing results for 2019 or 2020
	Left	No testing results for 2019 or 2020
	Right	No testing results for 2019 or 2020
MCIVOR LAKE BEACH – CITY OF CAMPBELL RIVER 	Campbell River – Fresh water	
	Left side	Bacteriological Sample on 11/05/2021 – E. Coli : LT5
		Bacteriological Sample on 15/06/2021 – E. Coli : LT5
		Bacteriological Sample on 13/07/2021 – E. Coli : LT5
		Bacteriological Sample on 17/08/2021 – E. Coli : LT5
	Middle	Bacteriological Sample on 11/05/2021 – E. Coli : LT5
Bacteriological Sample on 15/06/2021 – E. Coli : 5		
Bacteriological Sample on 13/07/2021 – E. Coli : LT5		

		Bacteriological Sample on 17/08/2021 – E. Coli : LT5
	Right side	Bacteriological Sample on 11/05/2021 – E. Coli : LT5
		Bacteriological Sample on 15/06/2021 – E. Coli : LT5
		Bacteriological Sample on 13/07/2021 – E. Coli : LT5
		Bacteriological Sample on 17/08/2021 – E. Coli : LT5
MIRACLE BEACH BATHING BEACH		
	Black Creek – Salt Water	
	Miracle Beach - North Beach	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : 15
		Bacteriological Sample on 30/08/2021 – Enterococci : 27
	Miracle Beach - South Beach	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : 27
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
	Miracle Beach - Centre	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : 40
Bacteriological Sample on 30/08/2021 – Enterococci : 30		
POINT HOLMES BATHING BEACH		
	Comox – Salt Water	
	Center	No testing results for 2019 or 2020
	Left	No testing results for 2019 or 2020
	Right	No testing results for 2019 or 2020

PUNTLEDGE PARK BEACH 	Courtenay – Fresh Water	
	Flowing – Lazy River	Bacteriological Sample on 25/05/2021 – E. Coli : 5
		Bacteriological Sample on 14/06/2021 – E. Coli : 5
		Bacteriological Sample on 16/06/2021 – E. Coli : LT5
		Bacteriological Sample on 06/07/2021 – E. Coli : 30
		Bacteriological Sample on 07/07/2021 – E. Coli : 10
		Bacteriological Sample on 20/07/2021 – E. Coli : 9
		Bacteriological Sample on 21/07/2021 – E. Coli : 15
		Bacteriological Sample on 03/08/2021 – E. Coli : LT5
		Bacteriological Sample on 24/08/2021 – E. Coli : 15
	Wading	Bacteriological Sample on 25/05/2021 – E. Coli : 10
		Bacteriological Sample on 31/05/2021 – E. Coli : 10
		Bacteriological Sample on 14/06/2021 – E. Coli : 5
		Bacteriological Sample on 06/07/2021 – E. Coli : 20
		Bacteriological Sample on 07/07/2021 – E. Coli : 95
		Bacteriological Sample on 20/07/2021 – E. Coli : 5
		Bacteriological Sample on 21/07/2021 – E. Coli : 18
		Bacteriological Sample on 03/08/2021 – E. Coli : 5
Bacteriological Sample on 24/08/2021 – E. Coli : 10		
PUNTLEDGE RIVER – STOTAN FALLS	Courtenay – Fresh Water	No testing results for 2019 or 2020
SANDPIPER BATHING BEACH 	Hornby Island – Salt Water	
	Centre	Bacteriological Sample on 12/07/2021 – Enterococci : 132
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5
		Bacteriological Sample on 16/08/2021 – Enterococci : LT5

	Left	Bacteriological Sample on 12/07/2021 – Enterococci : 73	
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5	
		Bacteriological Sample on 16/08/2021 – Enterococci : 10	
	Right	Bacteriological Sample on 12/07/2021 – Enterococci : 15	
		Bacteriological Sample on 27/07/2021 – Enterococci : LT5	
Bacteriological Sample on 16/08/2021 – Enterococci : 10			
SARATOGA BEACH BATHING BEACH 	Campbell River – Salt Water	No testing results for 2019 or 2020	
STOREY’S BEACH 	Port Hardy – Salt Water		
	Carlton Street	Bacteriological Sample on 31/05/2021 – Enterococci : 140	
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 05/07/2021 – Enterococci : 5	
	Rotary Pavilion	Bacteriological Sample on 31/05/2021 – Enterococci : LT5	
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 05/07/2021 – Enterococci : LT5	
	Scotia Street	Bacteriological Sample on 31/05/2021 – Enterococci : 65	
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
		Bacteriological Sample on 05/07/2021 – Enterococci : LT5	
	100 m NW of Rotary Pavilion	Bacteriological Sample on 31/05/2021 – Enterococci : 5	
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5	
Bacteriological Sample on 05/07/2021 – Enterococci : 5			

	100 m SE of Rotary Pavilion	Bacteriological Sample on 31/05/2021 – Enterococci : LT5
		Bacteriological Sample on 07/06/2021 – Enterococci : LT5
		Bacteriological Sample on 05/07/2021 – Enterococci : 10
STORIES BEACH - SWIMMING 	Campbell River – Salt Water	No testing results for 2019 or 2020
TRIBUNE BAY BATHING BEACH 	Hornby Island – Salt Water	
	Tribune Bay Centre	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
	Tribune Bay Left	Bacteriological Sample on 02/06/2021 – Enterococci : LT5
		Bacteriological Sample on 12/07/2021 – Enterococci : LT5
		Bacteriological Sample on 30/08/2021 – Enterococci : LT5
Tribune Bay Right	Bacteriological Sample on 02/06/2021 – Enterococci : LT5	
	Bacteriological Sample on 12/07/2021 – Enterococci : LT5	
	Bacteriological Sample on 30/08/2021 – Enterococci : LT5	
WHALING STATION BAY 	Hornby Island – Salt Water	
	Centre	No testing results for 2019 or 2020
	Left	No testing results for 2019 or 2020
Right	No testing results for 2019 or 2020	