

Department of Laboratory Medicine, Pathology and Medical Genetics

Patient Collection Instructions for Adult TB (Mycobacteria) Urine

Before Collection	Obtain the appropriate collection container for the test your physician has requested from the Laboratory.
	 Wash hands thoroughly with soap and water, rinse and dry.
	 Open the container; DO NOT touch the inside of the container or the lid.
Collecting the	 Urine samples for TB collection must be collected on 3 consecutive mornings.
sample	 Upon rising each morning, collect the first morning urine sample into one of the containers provided.
	• Collect the first 40 to 90 ml of urine (approximately a quarter to half full) into the container provided, Do not overfill container.
	Void remainder of urine into the toilet.
	 Place the lid tightly onto the container, without touching the inside of the lid or the container.
	 Clean collection container off if any urine has splashed on the outside of the container.
	Wash hands after collecting the urine sample.
Labeling the sample	The following information is required on the containers:
	Last name, First Name, Date of Birth.
	Personal Health Number
	Collection Date
	Collection Time
Delivering the sample	If sample is collected in the Laboratory, please give to Laboratory personnel unless otherwise instructed.
	If sample is not collected in the Laboratory:
	 When you have completed the collection and labeling, place the sample in the plastic bag provided and seal.
	 Refrigerate samples after collection.
	 Place the completed requisition in the outer pocket of the plastic bag. Do not
	place requisition inside the sealed section of the bag containing the sample.
	 Take to Laboratory immediately after the third collection with the Physician's request (requisition)
	 Check that the information on the requisition is correct and complete.
Sample Rejection Criteria	Samples that are not refrigerated after collection, prior to transporting to the lab
	Samples that are not labeled correctly and/or do not have a completed requisition will NOT be tested

If you have any questions please call the VIHA Laboratory Call Center @ 250-370-8355 or Toll Free at 1-866-370-8355

PRE SCN 15 110F Version: 1.2 Implemented: 28 September 2015 Updated: July 13, 2024 Page 1 of 1